

References

- Adams, S. M., McLain, H. A., Vaughan, D. S., Cada, G. F., Kumar, D. K., and Hildebrand, S. G. (1979). "Analysis of the Prairie Island Nuclear Generating Station-Intake related studies," Oak Ridge National Laboratory, Oak Ridge, TN.
- Adams, S. R., Keevin, T. M., Killgore, K. J., and Hoover, J. J. "Stranding potential of young fishes" (in preparation), U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Allen, M. S., and DeVries, D. R. (1993). "Spatial and temporal heterogeneity of larval shad in a large impoundment," *Transactions of the American Fisheries Society* 122, 1070-1079.
- Allen, M. S., and Miranda, L. E. (1995). "An evaluation of the value of harvest restrictions in managing crappie fisheries," *North American Journal of Fisheries Management* 15, 766-772.
- Appelget, J., and Smith, L. L., Jr. (1950). "The determination of age and rate of growth from vertebrae of the channel catfish, *Ictalurus lacustris punctatus*," *Transactions of the American Fisheries Society* 80, 119-139.
- Associated Electric Cooperative. (1980). "Supplemental report on the intake monitoring program at the New Madrid Power Plant NPDES No. MO-0001171 for Associated Electric Cooperative," 75-077-3-027.
- Baker, J. A., Killgore, J., and Kasul, R. L. (1991). "Aquatic habitats and fish communities in the Lower Mississippi River," *Aquatic Sciences* 3(4), 313-356.
- Bartell, S. M. (1996). "Ecological/environmental risk assessment: principles and practices." *Risk Assessment and Management Handbook*. R.V. Kolluru, S. M. Bartell, R. M. Pitblado, and R. S. Stricoff, ed., McGraw-Hill, New York, 10.3-10.59.

- Beamesderfer, R. C., and North, J. A. (1995). "Growth, natural mortality, and predicted response to fishing for largemouth bass and smallmouth bass populations in North America," *North American Journal of Fisheries Management* 15, 688-704.
- Becker, G. C. (1983). *Fishes of Wisconsin*. The University of Wisconsin Press, Madison, WI.
- Beverton, R. J. H., and Holt, S. J. (1957). *On the Dynamics of Exploited Fish Populations*. Fish. Invest. Series 2, Ministry of Agriculture, Fisheries, and Food, London.
- Beverton, R. J. H., and Holt, S. J. (1959). "A review of the lifespans and mortality rates of fish in nature, and their relation to growth and other physiological characteristics." *CIBA Foundation Colloquia on Ageing*. G. E. W. Welstenholme, and M. O'Connor, ed., Little, Brown, Boston, MA.
- Bodola, A. (1966). "Life history of the gizzard shad, *Dorosoma cepedianum* (Le Sueur), in western Lake Erie," *Fishery Bulletin* 65(2), 391-425.
- Boreman, J., and Goodyear, C. P. (1988). "Estimates of entrainment mortality for striped bass and other fish species inhabiting the Hudson River Estuary," Monograph 4, American Fisheries Society 152-160.
- Boreman, J., Goodyear, C. P., and Christensen, S. W. (1981). "An empirical model for estimating entrainment losses at power plants sited on estuaries," *Transactions of the American Fisheries Society* 110, 253-260.
- Brown, D. J., and Coon, T. G. (1994). "Abundance and assemblage structure of fish larvae in the Lower Missouri River and its tributaries," *Transactions of the American Fisheries Society* 123, 718-732.
- Bry, C., Bassler, E., Rognon X., and Bonamy F. (1992). "Analysis of sibling cannibalism among pike, *Esox lucius*, juveniles reared under semi-natural conditions," *Environmental Biology of Fishes* 35, 75-84.
- Bry, C., Bonamy, F., Manelphe, J., and Duranthon, B. (1995). "Early life characteristics of pike, *Esox lucius*, in rearing ponds: Temporal survival pattern and ontogenetic diet shifts," *Journal of Fish Biology* 46, 99-113.
- Burkhardt, R. W., Gutreuter, S., Stopyro, M., Bartels, A., Kramer, E., Bowler, M. C., Cronin, F. A., Soergel, D. W., Petersen, M. D., Herzog, D. P., Irons, K. S., O'Hara, T. M., Blodgett, K. D., and Raibley, P. T. (1997). "1996 Annual Status Report: A summary of fish data in six reaches of the Upper Mississippi River System," Program Report 97-P011, U.S. Geological Survey, La Crosse, WI.

- Burkhardt, R. W., Stopyro, M., Kramer, E., Bartels, A., Bowler, M. C., Cronin, F. A., Soergel, D. W., Petersen, M. D., Herzog, D. P., O'Hara, T. M., and Irons, K. S. (1998). "1997 Annual Status Report: A summary of fish data in six reaches of the Upper Mississippi River System," Program Report 98-P008, U.S. Geological Survey, La Crosse, WI.
- Burns & McDonnell. (1977). "Final report on the intake monitoring program at the New Madrid Power Plant NPDES No. MO-0001171 for Associated Electric Cooperative," 71-046-1-003, Kansas City, MO.
- Burr, B. M., and Morris, M. A. (1977). "Spawning behavior of the shorthead redhorse, *Moxostoma macrolepidotum*, in Big Rock Creek, Illinois," *Transactions of the American Fisheries Society* 106, 80-82.
- Butler, R. L., and Smith, L. L., Jr. (1950). "The age and rate of growth of the sheepshead, *Aplodinotus grunniens* Rafinesque, in the Upper Mississippi River navigation pools," *Transactions of the American Fisheries Society* 79, 43-54.
- Carlander, K. D. (1969). *Handbook of Freshwater Fishery Biology*. Iowa State University Press, Ames, IA, Vol 1.
- Carlander, K. D. (1977). *Handbook of Freshwater Fishery Biology*. Iowa State University Press, Ames, IA, Vol 2.
- Casselman, J. M., and Lewis, C. A. (1996). "Habitat requirements of northern pike (*Esox lucius*)," *Canadian Journal of Fisheries and Aquatic Sciences* 53, 161-174.
- Chapman, L. J., and Mackay, W. C. (1990). "Ecological correlates of feeding flexibility in northern pike (*Esox lucius*)," *Journal of Freshwater Ecology* 5(3), 313-322.
- Commonwealth Edison Company. (1980). "Quad-Cities Aquatic Program 1979 Annual Report," Chicago, IL.
- Conner, J. V., Pennington, C. H., and Bosley, T. R. (1983). "Larval fish of selected aquatic habitats on the Lower Mississippi River," Technical Report E-83-4, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Cooper, E. L., ed. (1987). *Carp in North America*. American Fisheries Society, Bethesda, MD.
- Crance, J. H. (1987). "Habitat suitability index curves for paddlefish, developed by the Delphi technique," *North American Journal of Fisheries Management* 7, 123-130.
- Cross, F. B. (1967). *Handbook of Fishes of Kansas*. Misc. Pub. 45, Museum of Natural History, University of Kansas, Lawrence, KS.

- Dahlberg, M. D., Davis, L. K., Ericson, J. W., Kranz, V. R., Oblad, B. R., and Owen, B. B. (1976). "Section 316(b) demonstration for the Prairie Island Nuclear Generating Plant on the Mississippi River near Red Wing, Minnesota," Northern States Power Company, Minneapolis, MN.
- Daiber, F. C. (1953). "Notes on the spawning population of the freshwater drum (*Aplodinotus grunniens* Rafinesque) in Western Lake Erie," *The American Midland Naturalist* 50(1), 159-171.
- DeVore, J. D., James, B. W., Tracy, C. A., and Hale, D. A. (1995). "Dynamics and potential production of white sturgeon in the unimpounded Lower Columbia River," *Transactions of the American Fisheries Society* 124, 845-856.
- Dewey, M. R., and Jennings, C. A. (1992). "Habitat use by larval fishes in a backwater lake of the Upper Mississippi River," *Journal of Freshwater Ecology* 7(4), 363-372.
- Dreves, D. P., Timmons, T. J., and Henson, J. (1996). "Age, growth, and food of freshwater drum, *Aplodinotus grunniens* (Sciaenidae), in Kentucky Lake, Kentucky/Tennessee," *Transactions of the Kentucky Academy of Science* 57(1), 22-26.
- Eddy, S., and Underhill, J. C. (1974). *Northern fishes with special reference to the Upper Mississippi Valley*. University of Minnesota Press, Minneapolis, MN.
- Edwards, E. A., and Twomey, K. A. (1982a). "Habitat suitability index models: Common carp," FWS/OBS-82/10.12, U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC.
- Edwards, E. A., and Twomey, K. A. (1982b). "Habitat suitability index models: Smallmouth buffalo," FWS/OBS-82/10.13, U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC.
- Elrod, J. H., and Hassler, T. J. (1971). "Vital statistics of seven fish species in Lake Sharpe, North Dakota 1964-69." *Reservoir fisheries and limnology*. G. E. Hall, ed., Special Publication No. 8, American Fisheries Society, Washington, DC., 27-40.
- Environmental Research and Technology, Inc. (1981). "Quad-Cities aquatic program; 1980 annual report," Concord, MA.
- _____. (1982). "Quad-Cities aquatic program; 1981 annual report," Concord, MA.
- _____. (1984). "Quad-Cities aquatic program; 1983 annual report," Concord, MA.

- EEH (Equitable Environmental Health, Inc.). (1976). "Sioux power plant entrainment and impingement effects on biological populations of the Mississippi River," Union Electric Company, St. Louis, MO.
- Etnier, D. A., and Starnes, W. C. (1993). *The fishes of Tennessee*. University of Tennessee Press, Knoxville, TN.
- Farabee, G. B. (1979). "Life histories of important sport and commercial fishes of the Upper Mississippi River." *A compendium of fishery information on the Upper Mississippi River*. J. L. Rasmussen, ed., Upper Mississippi River Conservation Commission, 41-67.
- Federal Energy Regulatory Commission. (1995). "Preliminary assessment of fish entrainment at hydropower projects. A report on studies and protective measures," Paper No. DPR-10, Office of Hydropower Licensing, Washington, DC.
- Forney, J. L. (1976). "Year-class formation in the walleye (*Stizostedion vitreum vitreum*) population of Oneida Lake, New York, 1966-1973," *Journal of the Fisheries Research Board of Canada* 33, 783-792.
- Franklin, D. R., and Smith, L. L., Jr. (1963). "Early life history of the northern pike, *Esox lucius* L., with special reference to the factors influencing the numerical strength of year classes," *Transactions of the American Fisheries Society* 92(2), 91-110.
- Fremling, C. R., and Claflin, T. O. (1984). "Ecological history of the Upper Mississippi River." *Contaminants in the Upper Mississippi River*. J. G. Wiener, R. V. Anderson, and D. R. McConville, ed., Butterworth Publishers, Boston, MA.
- Fremling, C. R., Rasmussen, J. L., Sparks, R. E., Cobb, S. P., Bryan, C. F., and Claflin, T. O. (1989). "Mississippi River fisheries: A case history." *Proceedings of the International Large River Symposium*, D. P. Dodge, ed., 304-351.
- Gengerke, T. W. (1978). "Commercial fisheries investigations project completion report: Paddlefish investigations," Federal Aid in Sport Fish Restoration, Project 2-255-R, Final Report, Iowa Conservation Commission, Des Moines, IA.
- Giese, B. D., and Mueller, K. N. (1996). "Section III: Prairie Island Nuclear Generating Plant, Environmental monitoring program, 1996 Annual Report; Fine-mesh vertical traveling screens fish impingement study," Northern States Power Company, Minneapolis, MN.
- Goodyear, C. P. (1978). "Entrainment impact estimates using the equivalent adults approach," FWS/OBS-78/65, U.S. Fish and Wildlife Service, Washington, DC.

- Grosslein, M. D., and Smith, L. L., Jr. (1959). "The goldeye, *Amphiodon alosoides* (Rafinesque), in the commercial fishery of the Red Lakes, Minnesota," *United States Fish and Wildlife Service Fishery Bulletin* 60, 33-41.
- Gutreuter, S. (1992). "Systemic features of fisheries of the Upper Mississippi River System 1990 Fisheries Component Annual Report," Technical Report 92-T001, U.S. Fish and Wildlife Service, Onalaska, WI.
- Gutreuter, S. (1997). "Fish monitoring by the long term resource monitoring program on the Upper Mississippi River System: 1990-1994," Technical Report 97-T004, U.S. Geological Survey, Onalaska, WI.
- Gutreuter, S., Burkhardt, R. W., Stopyro, M., Bartels, A., Kramer, E., Bowler, M. C., Cronin, F. A., Soergel, D. W., Petersen, M. D., Herzog, D. P., Irons, K. S., O'Hara, T. M., Blodgett, K. D., and Raibley, P. T. (1997a). "1992 Annual Status Report: A summary of fish data in six reaches of the Upper Mississippi River System," Program Report 97-P006, U.S. Geological Survey, La Crosse, WI.
- Gutreuter, S., Burkhardt, R. W., Stopyro, M., Bartels, A., Kramer, E., Bowler, M. C., Cronin, F. A., Soergel, D. W., Petersen, M. D., Herzog, D. P., Raibley, P. T., Irons, K. S., and O'Hara, T. M. (1997b). "1993 Annual Status Report: A summary of fish data in six reaches of the Upper Mississippi River System," Program Report 97-P008, U.S. Geological Survey, La Crosse, WI.
- Gutreuter, S., Burkhardt, R. W., Stopyro, M., Bartels, A., Kramer, E., Bowler, M. C., Cronin, F. A., Soergel, D. W., Petersen, M. D., Herzog, D. P., Raibley, P. T., Irons, K. S., and O'Hara, T. M. (1997c). "1994 Annual Status Report: A summary of fish data in six reaches of the Upper Mississippi River System," Program Report 97-P007, U.S. Geological Survey, La Crosse, WI.
- Gutreuter, S., Burkhardt, R. W., Stopyro, M., Bartels, A., Kramer, E., Bowler, M. C., Cronin, F. A., Soergel, D. W., Petersen, M. D., Herzog, D. P., Irons, K. S., O'Hara, T. M., Blodgett, K. D., and Raibley, P. T. (1997d). "1995 Annual Status Report: A summary of fish data in six reaches of the Upper Mississippi River System," Program Report 97-P009, U.S. Geological Survey, La Crosse, WI.
- Gutreuter, S., Dettmers, J. M., and Wahl, D. H. (1998). "Abundance of fishes in the navigation channels of the Mississippi and Illinois Rivers and entrainment mortality of adult fish caused by towboats" (Draft), submitted by the United States Geological Survey and Illinois Natural History Survey to the United States Army Corps of Engineers in Fulfillment of Contract Number NCR-94-175.

- Gutreuter, S., Burkhardt, R. W., Stopyro, M., Bartels, A., Kramer, E., Bowler, M. C., Cronin, F. A., Soergel, D. W., Petersen, M. D., Herzog, D. P., Irons, K. S., O'Hara, T. M., Blodgett, K. D., and Raibley, P. T. (1998). "1991 Annual Status Report: A summary of fish data in six reaches of the Upper Mississippi River System," Program Report 98-P001, U.S. Geological Survey, La Crosse, WI.
- Harlan, J. R., and Speaker, E. B. (1956). *Iowa fish and fishing*. Iowa State Conservation Commission, Des Moines, IA.
- Hazleton Environmental Sciences Corporation. (1978). "Environmental monitoring in the Mississippi River near Quad-Cities Station May 1975 through July 1978," Commonwealth Edison Company, Chicago, IL.
- _____. (1979). "Intensive ichthyoplankton studies at Quad-Cities Station June 1978," HES No. 550105739, Chicago, IL.
- Heberling, G. D., Mueller, K. N., and Weinhold, J. W. (1981). "1980 Riverside Generating Plant NPDES Section 316b Supplement," Northern States Power Company, Welch, MN.
- HDR (Henningson, Durham, and Richardson, Inc.). (1977a). "Section 316(b) demonstration for the High Bridge Generating Plant on the Mississippi River in St. Paul, Minnesota (NPDES Permit No. MN0000884)," Santa Barbara, CA.
- _____. (1977b). "Section 316(b) demonstration for the Riverside Generating Plant on the Mississippi River in Minneapolis, Minnesota (NPDES Permit No. 0000892)," Santa Barbara, CA.
- _____. (1979). "Alternate discharge study for the Prairie Island Nuclear Generating Plant," Northern States Power Company, Minneapolis, MN.
- Holland, L. E. (1985). "Survey of ichthyoplankton drift at Lock and Dam 5 Upper Mississippi River," U.S. Fish and Wildlife Service, National Fisheries Research Laboratory, La Crosse, WI.
- Holland, L. E. (1986a). "Distribution of early life history stages of fishes in selected pools of the Upper Mississippi River," *Hydrobiologia* 136, 121-130.
- Holland, L. E. (1986b). "Effects of barge traffic on distribution and survival of ichthyoplankton and small fishes in the Upper Mississippi River," *Transactions of the American Fisheries Society* 115, 162-165.
- Holland, L. E. (1987). "Effect of brief navigation-related dewaterings on fish eggs and larvae," *North American Journal of Fisheries Management* 7, 145-147.

- Holland, L. E., and Huston, M. L. (1984). "Relationship of young-of-the-year northern pike to aquatic vegetation types in backwaters of the Upper Mississippi River," *North American Journal of Fisheries Management* 4, 514-522.
- Holland, L. E., and Huston, M. L. (1985). "Distribution and food habits of young-of-the-year fishes in a backwater lake of the Upper Mississippi River," *Journal of Freshwater Ecology* 3(1), 81-91.
- Holland, L. E., and Sylvester, J. R. (1983). "Distribution of larval fishes related to potential navigation impacts on the Upper Mississippi River, Pool 7," *Transactions of the American Fisheries Society* 112, 293-301.
- Holland, L. E., Huston, M. L., and Kammer, T. W. (1983). "Assemblages of larval fishes of various border habitats in the Upper Mississippi River," Progress Report, National Fisheries Research Laboratory, La Crosse, WI.
- Holland, L., Hornung, T., Huston, M., and Duval, M. (1984). *Analysis of existing information on ichthyoplankton drift through dams on the Upper Mississippi River*. U.S. Fish and Wildlife Service, La Crosse, WI.
- Holland-Bartels, L. E., and Duval, M. C. (1988). "Variations in abundance of young-of-the-year channel catfish in a navigation pool of the Upper Mississippi River," *Transactions of the American Fisheries Society* 117, 202-208.
- Holland-Bartels, L. E., Dewey, M. R., and Zigler, S. J. (1990a). "Pilot study of spatial patterns of ichthyoplankton among river reaches and habitats of the Upper Mississippi River System," U.S. Fish and Wildlife Service, La Crosse, WI.
- Holland-Bartels, L. E., Littlejohn, S. K., and Huston, M. L. (1990b). *A Guide to Larval Fishes of the Upper Mississippi River*. U.S. Fish and Wildlife Service, La Crosse, WI.
- Holland-Bartels, L. E., Dewey, M. R., and Zigler, S. J. (1995). "Ichthyoplankton abundance and variance in a large river system concerns for long-term monitoring," *Regulated Rivers: Research & Management* 10, 1-13.
- Holley, E. R. "Computer model for transport of larvae between barge tows in rivers" (Draft), report prepared for U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Horst, T. J. (1975). "The assessment of impact due to entrainment of ichthyoplankton," *Fisheries and Energy Production: A Symposium*. S. B. Saila, ed., Lexington Books, Lexington, MA, 107-118.

- Hubert, W. A., and O'Shea, D. T. (1992). "Use of spatial resources by fishes in Grayrocks Reservoir, Wyoming," *Journal of Freshwater Ecology* 7(2), 219-225.
- Hurley, S. T., Hubert, W. A., and Nickum, J. G. (1987). "Habitats and movements of shovelnose sturgeons in the Upper Mississippi River," *Transactions of the American Fisheries Society* 116, 655-662.
- Inskip, P. D. (1982). "Habitat suitability index models: Northern pike," FWS/OBS-82/10.17, U.S. Fish and Wildlife Service, Washington, DC.
- Iowa Department of Natural Resources. (1997). "Federal aid to fish restoration annual performance report," Mississippi River Investigations, Project No. F-160-R.
- Jackson, D. C. (1995). "Distribution and stock structure of blue catfish and channel catfish in macrohabitats along riverine sections of the Tennessee-Tombigee Waterway," *North American Journal of Fisheries Management* 15, 845-853.
- Jensen, A. L. (1990). "Estimation of recruitment forgone resulting from larval fish entrainment," *Journal of Great Lakes Research* 16, 241-244.
- Jensen, A. L., Reider, R. H., and Kovalak, W. P. (1988). "Estimation of production forgone," *North American Journal of Fisheries Management* 8, 191-198.
- Jester, D. B. (1972). "Life history, ecology, and management of the river carpsucker, *Carpiodes carpio* (Rafinesque), with reference to Elephant Butte Lake," Research Report 243, New Mexico State University, Agricultural Experiment Station, Las Cruces, NM.
- Jester, D. B. (1974). "Life history, ecology, and management of the carp, *Cyprinus carpio* Linnaeus, in Elephant Butte Lake," Research Report 273, New Mexico State University Agricultural Experimental Station, Las Cruces, NM.
- Jester, D. B., and Jensen, B. L. (1972). "Life history and ecology of the gizzard shad, *Dorosoma cepedianum* (Le Sueur) with reference to Elephant Butte Lake," Research Report 273, New Mexico State University Agricultural Experimental Station, Las Cruces, NM.
- Johnson, B. L., and Noltie, D. B. 1997). "Demography, growth, and reproductive allocation in stream-spawning longnose gar," *Transactions of the American Fisheries Society* 126, 438-466.
- Johnson, B. L., Smith, D. L., and Carline, R. F. (1988). "Habitat preferences, survival, growth, foods, and harvests of walleyes and walleye x sauger hybrids," *North American Journal of Fisheries Management* 8, 292-304.

- Johnson, F. H. (1961). "Walleye egg survival during incubation on several types of bottom in Lake Winnibigoshish, Minnesota, and connecting waters," *Transactions of the American Fisheries Society* 90(3), 312-322.
- Keevin, T. M., Adams, S. R., and Killgore, K. J. "Effects of pressure changes induced by commercial navigation traffic on mortality of fish early life stages" (Draft), U.S. Army Corps of Engineers, St. Louis, MO, Technical Report.
- Keevin, T. M., Maynard, S. T., Adams, S. R., and Killgore, K. J. "Mortality of fish early life stages resulting from hull shear associated with passage of commercial navigation traffic (Draft)," U.S. Army Corps of Engineers, St. Louis, MO, Technical Report.
- Kempinger, J. J. (1996). "Habitat, growth, and food of young lake sturgeons in the Lake Winnebago System, Wisconsin," *North American Journal of Fisheries Management* 16, 102-114.
- Killgore, K. J., Maynard, S. T., Chan, M. D., and Morgan, R. P., II. "Effects of propeller entrainment on riverine ichthyoplankton" (in preparation), U.S. Army Engineer Districts, Rock Island, St. Louis, and St. Paul.
- Knights, B. C., Johnson, B. L., and Sandheinrich, M. B. (1995). "Responses of bluegills and black crappies to dissolved oxygen, temperature, and current in backwater lakes of the Upper Mississippi River during winter," *North American Journal of Fisheries Management* 15, 390-399.
- Koel, T. M., Sparks, R. E., Blodgett, K. D., and Whitney, S. D. (1997). "The long-term Illinois River fish population monitoring program, F-101-R-8, Annual Report," Technical Report 97/14, Center for Aquatic Ecology, Havana, IL.
- Kowalski, W., Johnston, G. J., and Thiel, J. (1984). "Aquatic investigation conducted at the Alma and Genoa, Wisconsin Power Generation Sites during 1982, Annual Report," Dairyland Power Cooperative, La Crosse, WI.
- Kowalski, W., Johnston, G. J., Thiel, J., and Steele, T. A. (1983). "Investigations concerning the use of Mississippi River water for once-through cooling at Alma, Wisconsin, 1981 Annual Report," Dairyland Power Cooperative, La Crosse, WI.
- Kranz, V. R., Lorenz, B. D., Wilcox, D. B., Davis, L. K., and Owen B. B., Jr. (1978). "Section 316(b) Demonstration for the Allen S. King Generating Plant on Lake St. Croix, Oak Park Heights, Minnesota (NPDES Permit No. MN 0000825)," Northern States Power Company, Minneapolis, MN.
- Knotek, W. L., and Orth, D. J. (1998). "Survival for specific life intervals of smallmouth bass, *Micropterus dolomieu*, during parental care," *Environmental Biology of Fishes* 51, 285-296.

- Kuhl, G. M., and Mueller, K. N. (1988). "Prairie Island Nuclear Generating Plant, Environmental monitoring program, 1988 Annual Report; Fish mesh vertical traveling screens impingement survival study," Northern States Power Company, Minneapolis, MN.
- LaHaye, M., Branchaud, A., Gendron, M., Verdon, R., and Fortin, R. (1992). "Reproduction, early life history, and characteristics of the spawning grounds of the lake sturgeon (*Acipenser fulvescens*) in Des Prairies and L'Assomption Rivers, near Montréal, Quebec," *Canadian Journal of Zoology* 70, 1681-1689.
- LMSE (Lawler, Matusky and Skelly Engineers). (1985). "Quad Cities Aquatic Program 1984 annual report," LMSE-85/0142&453/005, Commonwealth Edison Company, Chicago, IL.
- _____. (1986). "Quad Cities Aquatic Program 1985 annual report," LMSE-86/0091&453/009, Commonwealth Edison Company, Chicago, IL.
- _____. (1995). "A synoptic review of long-term fisheries monitoring in Pool 14 of the Upper Mississippi River near Quad Cities Station," LMSE-95/0451&453/105, Commonwealth Edison Company, Chicago, IL.
- _____. (1996a). "Quad Cities Aquatic Program 1995 annual report; Volume I," LMSE-96/0101&453/102, Commonwealth Edison Company, Chicago, IL.
- _____. (1996b). "Quad Cities Aquatic Program 1995 annual report; Volume II, Appendices," LMSE-96/0102&453/102, Commonwealth Edison Company, Chicago, IL.
- _____. (1997a). "Quad Cities Aquatic Program 1996 annual report; Volume I," LMSE-97/0021&453/113, Commonwealth Edison Company, Chicago, IL.
- _____. (1997b). "Quad Cities Aquatic Program 1996 annual report; Volume II, Appendices," LMSE-97/0022&453/113, Commonwealth Edison Company, Chicago, IL.
- Lee, D. S., Gilbert, C. R., Hocutt, C. H., Jenkins, R. E., McAllister, D. E., and Stauffer, J. R., Jr. (1980). *Atlas of North American Freshwater Fishes*. North Carolina State Museum of Natural History, Raleigh, NC.
- Lee, L. A., and Terrell, J. W. (1987). "Habitat suitability index models: Flathead catfish," Biological Report 82(10.152), U.S. Fish and Wildlife Service, Washington, DC.
- Leidy, G. R., and Jenkins, R. M. (1977). "The development of fishery compartments and population rate coefficients for use in reservoir ecosystem modeling," Contract Report Y-77-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

- Leonard, P. M., and Orth, D. J. (1988). "Use of habitat guilds of fishes to determine instream flow requirements," *North American Journal of Fisheries Management* 8, 399-409.
- Lerczak, T. V., Sparks, R. E., and Blodgett, K. D. (1994). "The long-term Illinois River fish population monitoring program, Project F-101-R," Aquatic Ecology Technical Report 94/5, Center for Aquatic Ecology, Havana, IL.
- LGL Ecological Research Associates, Inc. (1981). "Study of fish in the main channel of the Mississippi River between river miles 500 and 513.5," performed by LGL Ecological Research Associates, Inc., Bryan, TX, for GREAT II Fish and Wildlife Management Work Group, U.S. Fish and Wildlife Service, and U.S. Army Engineer District, Rock Island, Rock Island, IL.
- Littlejohn, S., Holland, L., Jacobson, R., Huston, M., and Hornung, T. (1985). "Habits and habitats of fishes in the Upper Mississippi River," U.S. Fish and Wildlife Service, La Crosse, WI.
- Lowery, D. R., Pasch, R. W., and Scott, E. M. (1987). "Hydroacoustic survey of fish populations of the lower Cumberland River," U.S. Army Engineer District, Nashville, Nashville, TN.
- Lubinski, K. S., Van Vooren, A., Farabee, G., Janecek, J., and Jackson, S. D. (1986). "Common carp in the Upper Mississippi River," *Hydrobiologia* 136, 141-154.
- Lyons, J., and Welke, K. (1996). "Abundance and growth of young-of-year walleye (*Stizostedion vitreum*) and sauger (*S. Canadense*) in Pool 10, Upper Mississippi River, and at Prairie du Sac Dam, Lower Wisconsin River, 1987-1994," *Journal of Freshwater Ecology* 11(1), 39-50.
- Massé, G., Dumont, P., and Fortin, R. (1993). "Survie oeufs-juvéniles et force des classes d'âge des grands brochets (*Esox lucius*) de la rivière aux Pins, près de Montréal, Québec," *Canadian Journal of Zoology* 71, 368-375.
- Mayer, C. M., and Wahl, D. H. (1997). "The relationship between prey selectivity and growth and survival in larval fish," *Canadian Journal of Fisheries and Aquatic Sciences* 54, 1504-1512.
- Maynard, S. T. (1999). "Power versus speed for shallow draft navigation" (in publication), *Journal of Waterway, Port, Coastal, and Ocean Engineering*, ASCE.
- Maynard, S. T. "Shear stress on the hull of shallow draft barges" (in preparation), ENV Report 24, prepared for U.S. Army Engineer Districts, Rock Island, St. Louis, and St. Paul.

- McInerny, M. C. (1980). "Impingement and entrainment of fishes at Dairyland Power Cooperative's Genoa site," M.S. Thesis, University of Wisconsin, LaCrosse, WI.
- Michaletz, P. H. (1997a). "Factors affecting abundance, growth, and survival of age-0 gizzard shad," *Transactions of the American Fisheries Society* 126, 84-100.
- Michaletz, P. H. (1997b). "Influence of abundance and size of age-0 gizzard shad on predator diets, diet overlap, and growth," *Transactions of the American Fisheries Society* 126, 101-111.
- MidAmerican Energy Company. (1976). "Riverside Generating Station environmental assessment of intake structures," Iowa-Illinois Gas and Electric Company, Des Moines, IA.
- Miller, E. E. (1966). "Channel catfish," *Inland Fisheries Management*. A. Calhoun, ed., California Dept. Fish Game Res., 440-463.
- Miller, R. R. (1960). "Systematics and biology of the gizzard shad (*Dorosoma cepedianum*) and related fishes," Fishery Bulletin 173/60, U.S. Department of the Interior, U.S. Fish and Wildlife Service, Washington, DC.
- Minckley, W. L., and Deacon, J. E. (1959). "Biology of the flathead catfish in Kansas," *Transactions of the American Fisheries Society* 88(1), 344-355.
- Minnesota Power and Light Company. (1977). "Report on 316(b) entrainment-impingement studies performed at Minnesota Power and Light Company's Clay Boswell Steam Electric Station," Minnesota Power and Light Company.
- Misund, O. A., and Aglen, A. (1992). "Swimming behaviour of fish schools in the North Sea during acoustic surveying and pelagic trawl sampling," *ICES Journal of Marine Science* 49, 325-334.
- Moen, C. T., Scarnecchia, D. L., and Ramsey, J. S. (1992). "Paddlefish movements and habitat use in Pool 13 of the Upper Mississippi River during abnormally low river stages and discharges," *North American Journal of Fisheries Management* 12, 744-751.
- Morgan, R. P., II, Ulanowicz, R. E., Rasin, V. J., Jr., Noe, L. A., and Gray, G. B. (1976). "Effects of shear on eggs and larvae of striped bass, *Morone saxatilis* and white perch, *M. americana*," *Transactions of the American Fisheries Society* 105(1), 149-154.
- Nalco Environmental Sciences. (1976). "Operational environmental monitoring in the Mississippi River near Quad-Cities Station, February 1975 through January 1976," Commonwealth Edison Company, Chicago, IL.

- Nalco Environmental Sciences. (1977). "Operational environmental monitoring in the Mississippi River near Quad-Cities Station, February 1976 through January 1977," Commonwealth Edison Company, Chicago, IL.
- Navarro, J. E., and Johnson, D. L. (1992). "Ecology of stocked northern pike in two Lake Erie controlled wetlands," *Wetlands* 12(3), 171-177.
- Neproshin, A. Y. (1978). "Behaviour of pacific mackerel, *Pneumatophorus japonicus*, when affected by vessel noise," *Journal of Ichthyology* 18, 695-699.
- Newcomb, T. J., Perry, S. A., and Perry, W. B. (1995). "Comparison of habitat suitability criteria for smallmouth bass (*Micropterus dolomieu*) from three West Virginia rivers," *Rivers* 5(3), 170-183.
- NUS Corporation. (1975). "Red Wing Generating Plant, Section 316(b) biological demonstration," Northern States Power Company, Minneapolis, MN.
- Patulski, D.E., and Everhart, L.D. (1981). "Impingement study at the Meredosia Power Station, 1980-1981," EA Final Report 9106, Central Illinois Public Service Company, Springfield, IL.
- Pauly, D. (1980). "On the interrelationships between natural mortality, growth parameters, and mean environmental temperature in 175 fish stocks," *Journal Du Conseil, Conseil International Pour L'Exploration De La Mer* 39(2), 175-192.
- Pflieger, W. L. (1997). *The Fishes of Missouri*. Revised edition, Missouri Department of Conservation, Jefferson City, MO.
- Pierce, R. B., Tomcko, C. M., and Schupp, D. H. (1995). "Exploitation of northern pike in seven small north-central Minnesota lakes," *North American Journal of Fisheries Management* 15, 601-609.
- Pitlo, J., Jr. (1981). "Wing dam investigation; Project 2-350-R, completion report." *1981 Commercial Fisheries Investigations Annual Performance Report*. Iowa Conservation Commission, Fisheries Section, Des Moines, IA, 15-24.
- Pitlo, J., Jr. (1987). "Standing stock of fishes in the Upper Mississippi River," Upper Mississippi River Conservation Committee, Rock Island, IL.
- Pitlo, J., Jr. (1992). "Walleye and sauger (*Stizostedion* spp.) in the Upper Mississippi River: Early life history," Upper Mississippi River Conservation Committee, Rock Island, IL.

- Pitlo, J., Jr., Van Vooren, A., and Rasmussen, J. (1995). "Distribution and relative abundance of Upper Mississippi River fishes," Upper Mississippi River Conservation Committee, Rock Island, IL.
- Pitman, V. M., and Parks, J. O. (1994). "Habitat use and movement of young paddlefish (*Polyodon spathula*)," *Journal of Freshwater Ecology* 9(3), 181-189.
- Post, J. R., Rudstam, L. G., and Schael, D. M. (1995). "Temporal and spatial distribution of pelagic age-0 fish in Lake Mendota, Wisconsin," *Transactions of the American Fisheries Society* 124, 84-93.
- Priegel, G. R., and Wirth, T. L. (1971). "The lake sturgeon: Its life history, ecology, and management," Publication 240-70, Wisconsin Department of Natural Resources, Madison, WI.
- Prill, S. D. (1977). "Investigation of fish impingement processes at the Burlington Generating Station," M.S. Thesis, University of Iowa, Iowa City.
- Purkett, C. A., Jr. (1963). "The paddlefish fishery of the Osage River and the Lake of the Ozarks, Missouri," *Transactions of the American Fisheries Society* 92, 239-244.
- Putnam, J. H., Pierce, C. L., and Day, D. M. (1995). "Relationships between environmental variables and size-specific growth rates of Illinois stream fishes," *Transactions of the American Fisheries Society* 124, 252-261.
- Rago, P. J. (1984). "Production forgone: An alternative method for assessing the consequences of fish entrainment and impingement losses at power plants and other water intakes," *Ecological Modelling* 24, 79-111.
- Rasmussen, J. L. (1979). "A compendium of fishery information on the Upper Mississippi River," Upper Mississippi River Conservation Committee, Rock Island, IL.
- Reed, B. C., Kelso, W. E., and Rutherford, D. A. (1992). "Growth, fecundity, and mortality of paddlefish in Louisiana," *Transactions of the American Fisheries Society* 121, 378-384.
- Ricker, W. E. (1975). *Computation and Interpretation of Biological Statistics of Fish Populations*. Fisheries Research Board of Canada Bulletin 191, Fisheries and Marine Service, Ottawa.
- Rohde, F. C., Arndt, R. G., Lindquist, D. G., and Parnell, J. F. (1994). *Freshwater Fishes of the Carolinas, Virginia, Maryland, and Delaware*. University of North Carolina Press, Chapel Hill, NC.

- Rosen, R. A., Hales, D. C., and Unkenholz, D. G. (1982). "Biology and exploitation of paddlefish in the Missouri River below Gavins Point Dam," *Transactions of the American Fisheries Society* 111, 216-222.
- Ruelle, R. (1971). "Factors influencing growth of white bass in Lewis and Clark Lake." *Reservoir Fisheries and Limnology*, G. E. Hall, ed., Special Publication No. 8, American Fisheries Society, Washington, DC, 411-423.
- Rupprecht, R. J., and Jahn, L. A. (1980). "Biological notes on blue suckers in the Mississippi River," *Transactions of the American Fisheries Society* 109, 323-326.
- Russell, T. R. (1986). "Biology and life history of the paddlefish-A review," *The paddlefish: Status, management and propagation*. J. G. Dillard, L. K. Graham, and T. R. Russel, ed., American Fisheries Society, 2-20.
- Scott, W. B., and Crossman, E. J. (1973). *Freshwater Fishes of Canada*. Bulletin 184, Fisheries Research Board of Canada, Ottawa.
- Sheaffer, W. A., and Nickum, J. G. (1986). "Backwater areas as nursery habitats for fishes in Pool 13 of the Upper Mississippi River," *Hydrobiologia* 136, 131-140.
- Smith, P. W. (1979). *The Fishes of Illinois*. University of Illinois Press, Urbana, IL.
- Soria, M., Fréon, P., and Gerlotto, F. (1996). "Analysis of vessel influence on spatial behavior of fish schools using a multi-beam sonar and consequences for biomass estimates by echo-sounder," *ICES Journal of Marine Science* 53, 453-458.
- Southall, P. D., and Hubert, W. A. (1984). "Habitat use by adult paddlefish in the Upper Mississippi River," *Transactions of the American Fisheries Society* 113, 125-131.
- Swedberg, D. V., and Walburg, C. H. (1970). "Spawning and early life history of the freshwater drum in Lewis and Clark Lake, Missouri River," *Transactions of the American Fisheries Society* 99(3), 560-570.
- Swee, U. B., and McCrimmon, H. R. (1966). "Reproductive biology of the carp, *Cyprinus carpio* L., in Lake St. Lawrence, Ontario," *Transactions of the American Fisheries Society* 95, 372-380.
- Todd, B. L., Dillon, F. S., and Sparks, R. E. (1989). "Barge effects on channel catfish," Aquatic Ecology Technical Report 89/5, Illinois Natural History Survey, Champaign, IL.

- Toutant, W. W. (1982). "Mathematical performance models for river tows," Presented at the winter meeting, Great Lakes and Great Rivers Section, The Society of Naval Architects and Marine Engineers, Clarksville, IN.
- Trautman, M. B. (1957). *The Fishes of Ohio*. Ohio State University Press, Columbus, OH.
- Trautman, M.B. (1981). *The Fishes of Ohio with Illustrated Keys*. Ohio State University Press, Columbus, OH.
- Union Electric Company. (1979). "Rush Island Plant: Demonstration in support of alternate effluent limitation on the thermal discharge, Section 316(a) PL 92-500, NPDES Permit No.: MO-0000043," Missouri Department of Natural Resources Division of Environmental Quality, St. Louis, MO.
- U.S. Environmental Protection Agency. (1998). "Guidelines for ecological risk assessment," EPA/630/R-95/002F, Risk Assessment Forum, U.S. Environmental Protection Agency, Washington, DC.
- Van Vooren, A. (1983). "Distribution and relative abundance of Upper Mississippi River fishes," Upper Mississippi River Conservation Commission, Fish Tech. Sect., Rock Island, IL.
- Van Winkle, W. (1977). *Assessing the Effects of Power-plant-induced Mortality on Fish Populations*. Pergamon Press, New York.
- Walburg, C. H. (1976). "Changes in the fish populations of Lewis and Clark Lake, 1956-1974, and their relation to water management and the environment," Research Report 79, U.S. Fish and Wildlife Service, Washington, DC.
- Wallus, R. (1986). "Paddlefish reproduction in the Cumberland and Tennessee River Systems," *Transactions of the American Fisheries Society* 115, 424-428.
- Wapora, Inc. (1975a). "Fish impingement studies at the Havana Power Station, December 1974-November, 1975," Project #197, Illinois Power Company, Decatur, IL.
- _____. (1975b). "Fish impingement studies at the Hennepin Power Station, December 1974-November 1975," Project #197, Illinois Power Company, Decatur, IL.
- _____. (1975c). "Screen impingement studies at the Wood River, Illinois Power Company Generating Plant, December, 1974 to November, 1975," Project #190, Illinois Power Company, Decatur, IL.
- _____. (1976a). "Alma unit numbers 1-5 cooling water intake structure 316(b) document," Dairyland Power Cooperative, La Crosse, WI.

- Wapora, Inc. (1976b). "Permit #IA-0001082, First quarter 1976 (316 b studies), Intake structure monitoring report data, Muscatine Power & Water - Power Plant, Muscatine, IA (State permit #5-70-48-0-00)," Muscatine, IA.
- _____. (1981). "316(b) Studies at E.D. Edwards Station," Project No. 237, Final Report, Central Illinois Light Company, Peoria, IL.
- Welker, M. T., Pierce, C. L., and Wahl, D. H. (1994). "Growth and survival of larval fishes: role of competition and zooplankton abundance," *Transactions of the American Fisheries Society* 123, 703-717.
- Wilcox, D.B. (1993). "An aquatic habitat classification system for the Upper Mississippi River System," Technical Report 93-T003, U.S. Fish and Wildlife Service, Onalaska, WI.
- Williamson, K. L., and Nelson, P. C. (1985). "Habitat suitability index models and instream flow suitability curves: Gizzard shad," FWS/OBS-82/10.112, U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC.
- Willis, D. W., Beck, H. D., Soupir, C. A., Johnson, B. A., Simpson, G. D., and Wickstrom, G. A. (1997). "White bass growth in South Dakota water," *The Prairie Naturalist* 29(2), 111-118.
- Wrenn, W. B., and Grinstead, B. G. (1971). "Larval development of the smallmouth buffalo, *Ictiobus bubalus*," *Journal of the Tennessee Academy of Science* 46(4), 117-120.
- Zigler, S. J., and Jennings, C. A. (1993). "Mortality rates of early developmental stages of freshwater drum and sunfish in the Upper Mississippi River System," EMTC 93-S019, National Biological Survey, National Fisheries Research Center, La Crosse, WI.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE July 2000	3. REPORT TYPE AND DATES COVERED Interim report	
4. TITLE AND SUBTITLE Ecological Risk Assessment of the Effects of the Incremental Increase of Commercial Navigation Traffic (25, 50, 75, and 100 Percent Increase of 1992 Baseline Traffic) on Fish		5. FUNDING NUMBERS	
6. AUTHOR(S) Steven M. Bartell, Kym Rouse Campbell			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Cadmus Group, Inc. 135 Mitchell Road Oak Ridge, TN 37830		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) See reverse.		10. SPONSORING/MONITORING AGENCY REPORT NUMBER ENV Report 16	
11. SUPPLEMENTARY NOTES Appendices A-E are published on the CD-ROM furnished with this report.			
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) <p>The number of fish larvae entrained through the propellers of commercial vessels was estimated for anticipated traffic increases on the Upper Mississippi River-Illinois Waterway (UMR-IWW) System. The volume of water entrained by different vessel configurations and operating characteristics was calculated for each month and pool using 1992 commercial traffic data. Hypothetical traffic scenarios were developed as 25, 50, 75, and 100 percent increases over the 1992 data. For each scenario, larval mortality was estimated for 30 fish species as the product of the entrainment volumes, measured larval densities, estimated larval susceptibility to entrainment, and experimentally determined mortality rates of entrained larvae. Using published fisheries assessment models, the estimated larval mortalities were extrapolated to future incremental losses in adult fish, recruitment losses to commercial and sport fisheries, and losses in fish biomass production. Due to the large amount of information, results for six representative species (emerald shiner (<i>Notropis atherinoides</i>), freshwater drum (<i>Aplodinotus grunniens</i>), mooneye (<i>Hiodon tergisus</i>), gizzard shad (<i>Dorosoma cepedianum</i>), channel catfish (<i>Ictalurus punctatus</i>), and walleye (<i>Stizostedion vitreum</i>)) were presented for Pool 13. The incremental increase in larval entrainment ranged from 0.009 to 2.2 percent for the 50 percent traffic scenario for the six species during June or July in Pool 13. Species characterized by high entrainment mortalities in this assessment included emerald shiner and gizzard shad.</p>			
14. SUBJECT TERMS Commercial traffic impacts Conditional entrainment mortality Ecological risk assessment		Larval entrainment mortality Production forgone Recruitment forgone	15. NUMBER OF PAGES 132
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT

9. (Concluded).

U.S. Army Engineer District, Rock Island, Clock Tower Building, P.O. Box 2004, Rock Island, IL 61204-2004

U.S. Army Engineer District, St. Louis, 1222 Spruce Street, St. Louis, MO 63103-2833

U.S. Army Engineer District, St. Paul, Army Corps of Engineers Centre, 190 5th Street East, St. Paul, MN 55101-1638

U.S. Army Engineer Research and Development Center

Environmental Laboratory

3909 Halls Ferry Road, Vicksburg, MS 39180-6199